

Reinforcement Learning

Michèle Sebag ; TP : Diviyam Kalainathan
TAO, CNRS – INRIA – Université Paris-Sud

université
PARIS-SACLAY

Jan. 18th, 2017

Credit for slides: R. Sutton, F. Stulp



Milestones

MDP Main Building block

General settings

	Model-based	Model-free
Finite	Dynamic Programming	Discrete RL
Infinite	(optimal control)	Continuous RL

Policy iteration vs Value iteration

- ▶ Policy iteration: $\pi \rightarrow V^\pi \rightarrow \text{Greedy}(V^\pi)$ and iterate
- ▶ Value iteration: Interleave value computation and policy improvement.
- ▶ (More efficient: prioritized sweeping; focus on states with changing values and their neighbors)

```
Input  $\pi$ , the policy to be evaluated
Initialize  $V(s) = 0$ , for all  $s \in \mathcal{S}^+$ 
Repeat
   $\Delta \leftarrow 0$ 
  For each  $s \in \mathcal{S}$ :
     $v \leftarrow V(s)$ 
     $V(s) \leftarrow \sum_a \pi(s, a) \sum_{s'} \mathcal{P}_{ss'}^a [\mathcal{R}_{ss'}^a + \gamma V(s')]$ 
     $\Delta \leftarrow \max(\Delta, |v - V(s)|)$ 
until  $\Delta < \theta$  (a small positive number)
Output  $V \approx V^\pi$ 
```

```
Initialize  $V$  arbitrarily, e.g.,  $V(s) = 0$ , for all  $s \in \mathcal{S}^+$ 

Repeat
   $\Delta \leftarrow 0$ 
  For each  $s \in \mathcal{S}$ :
     $v \leftarrow V(s)$ 
     $V(s) \leftarrow \max_a \sum_{s'} \mathcal{P}_{ss'}^a [\mathcal{R}_{ss'}^a + \gamma V(s')]$ 
     $\Delta \leftarrow \max(\Delta, |v - V(s)|)$ 
until  $\Delta < \theta$  (a small positive number)

Output a deterministic policy,  $\pi$ , such that
 $\pi(s) = \arg \max_a \sum_{s'} \mathcal{P}_{ss'}^a [\mathcal{R}_{ss'}^a + \gamma V(s')]$ 
```

Dynamic programming, summary

Policy evaluation

$$V_{k+1}(s) = r(s) + \gamma \sum_{s'} p(s, a, s') V_k(s') \text{ with } a = \pi(s)$$

Policy improvement

$$\pi(s) = \arg \max_a \left\{ r(s) + \gamma \sum_{s'} p(s, a, s') V(s') \right\}$$

Value iteration

$$V_{k+1}(s) = r(s) + \gamma \max_a \left\{ \sum_{s'} p(s, a, s') V_k(s') \right\}$$

Policy iteration converges toward the optimum

$$\pi^*(s) = \arg \max_a \left\{ r(s) + \gamma \sum p(s, a, s') V^*(s') \right\}$$

Why doesn't this work in Model-Free setting ?

The model-free world

- ▶ p , transition model, is unknown
- ▶ Some effort must be put on estimating p
- ▶ The exploration vs exploitation dilemma (don't be greedy; or not always...)
- ▶ The EvE dilemma: more later (the Multi-Armed Bandit course)

Overview

Where we are

Discrete Model-Free RL

Temporal difference

Dyna

Summary

This course

MDP Main Building block

General settings

	Model-based	Model-free
Finite	Dynamic Programming	Discrete RL
Infinite	(optimal control)	Continuous RL

Discrete Model-Free RL

Fundamentals


- ▶ Estimate values from interactions with environment
- ▶ Only rely on observations
- ▶ What you do (actions) influences what you see (states)

Key questions

- ▶ WHAT: a new definition of value
- ▶ HOW
 - ▶ Monte-Carlo: from episodes
 - ▶ Temporal Differences: after each action

Monte-Carlo estimations

Random π



$A \rightarrow A'$, reward 10

$B \rightarrow B'$, reward 5

- ▶ Start in s
- ▶ generate an episode with random π
- ▶ get the return for the episode
- ▶ average over several episodes: call it $\hat{V}(s)$

Monte-Carlo estimations, 2

Initialize:

$\pi \leftarrow$ policy to be evaluated

$V \leftarrow$ an arbitrary state-value function

$Returns(s) \leftarrow$ an empty list, for all $s \in \mathcal{S}$

Repeat forever:

(a) Generate an episode using π

(b) For each state s appearing in the episode:

$R \leftarrow$ return following the first occurrence of s

Append R to $Returns(s)$

$V(s) \leftarrow$ average($Returns(s)$)

Finally: After a long time, we'll have an estimate $\hat{V}(s)$ for all states (assuming well behaved MDP, i.e. we can go everywhere from anywhere).

Question: Can we apply Policy improvement ?

Monte-Carlo estimations, 2

Initialize:

$\pi \leftarrow$ policy to be evaluated

$V \leftarrow$ an arbitrary state-value function

$Returns(s) \leftarrow$ an empty list, for all $s \in \mathcal{S}$

Repeat forever:

(a) Generate an episode using π

(b) For each state s appearing in the episode:

$R \leftarrow$ return following the first occurrence of s

Append R to $Returns(s)$

$V(s) \leftarrow$ average($Returns(s)$)

Finally: After a long time, we'll have an estimate $\hat{V}(s)$ for all states (assuming well behaved MDP, i.e. we can go everywhere from anywhere).

Question: Can we apply Policy improvement ?

No ! we do not know $p(s, a, s')$

Then change the goal: Another value function

Define

$$Q_{\pi}(s, a) = \mathbb{E}[R | s_0 = s; a_0 = a, a_t = \pi(s_t)]$$

Start in s , set first action to a , use π ever after.

Algorithm Monte-Carlo Q

- ▶ Initialize a list of returns for each pair (s, a)
- ▶ Add the return after each trajectory.
- ▶ Average $\rightarrow \hat{Q}(s, a)$

Greedyfying Q

$$\pi_{\hat{Q}}(s) = \arg \max_a \hat{Q}(s, a)$$

The exploration vs exploitation dilemma

Exploration only

- ▶ Use $\pi = \text{random}$
- ▶ Your estimation of $\arg \max_a Q(s, a)$ will
 - ▶ be good ?
 - ▶ when ?

Exploitation only

- ▶ Build $Q(s, a)$
- ▶ Use $\pi(s) = \arg \max_a Q(s, a)$
- ▶ ... would be good if $Q(s, a)$ were good...

Finding a Trade-off

Example

Goal: go to a restaurant

Exploration: select a random one

Exploitation: select the one with best advices on *La Fourchette*

ϵ -greedy

- ▶ With proba $1 - \epsilon$, exploitation
- ▶ With proba ϵ , exploration

Decreasing ϵ

- ▶ After each episode $\epsilon \rightarrow \beta\epsilon$, with $\beta < 1$.

Finally

1. π is ε -greedy wrt Q
2. Use π to build Q
3. Decay ε

PROS

- ▶ Learns Q -values from observed returns (doesn't require a model)
- ▶ Estimates become better over time with more experience
- ▶ Can choose the best action as $\arg \max_a Q(s, a)$
- ▶ Starts out with exploration ($\varepsilon = 1$), but slowly becomes greedy ($\varepsilon = 0$)

CONS

- ▶ requires a lot of experience to get good estimates and policy
- ▶ works for small finite MDPs only
- ▶ applicable to episodic problems only
- ▶ wastes time evaluating bad policies

Overview

Where we are

Discrete Model-Free RL

Temporal difference

Dyna

Summary

Temporal differences

Principle

- ▶ Monte Carlo: updates values after an episode is done (based on returns $R = \sum_t r_t$)
- ▶ Temporal-difference learning: updates values after each step (based on immediate reward r_t)

PRO

- ▶ Faster

CONS

- ▶ Possibly brittle

Intermediate possibility: Incremental Monte-Carlo

Batch

$$V_{\pi}(s) = \frac{1}{N} \sum_{k=1}^N R^{(k)}(s)$$

Where

N is the number of episodes

$R^{(k)}(s)$ is the sum of discounted rewards gathered after first visit to s in k -th episode.

Incremental update


$$V_{\pi}(s) \leftarrow V_{\pi}(s) + \alpha \left(R^{(k)}(s) - V_{\pi}(s) \right)$$

Where


α is the learning rate

(What happens for $\alpha = 0$? for $\alpha = 1$?)

Incremental Monte-Carlo, 2



stationary setting



non-stationary setting

Temporal Differences, with V

Main equation

$$\begin{aligned}V_{\pi}(s_t) &\leftarrow V_{\pi}(s_t) + \alpha \left(R^{(k)}(s) - V_{\pi}(s) \right) \\&= (1 - \alpha)V_{\pi}(s_t) + \alpha \left(R^{(k)}(s) - V_{\pi}(s) \right) \\&= (1 - \alpha)V_{\pi}(s_t) + \alpha (r(s_t) + \gamma V_{\pi}(s_{t+1}))\end{aligned}$$

Algorithm

1. Initialize V and π
2. Loop on episode
 - 2.1 Initialize s
 - 2.2 Repeat

Select action $a = \pi(s)$

Observe s' and reward r

$$V(s) \leftarrow V(s) + \alpha \underbrace{(r + \gamma V(s')) - V(s)}_R$$

$s \leftarrow s'$

- 2.3 Until s' terminal state

Unroll the algorithm: <https://www.youtube.com/watch?v=DZzffdHNqtQ>


Why is this useful ?

Policy and value iteration


- ▶ Must wait until the end of the episode
- ▶ Episodes might be long

We can update V on the fly:

- ▶ I have estimates of how long it takes to go to RER, to catch the train, to arrive at Cité-U
- ▶ Something happens on the way (bump into a friend, chat, delay, miss the train,...)
- ▶ I can update my estimates of when I'll be home...



Monte-Carlo



Temporal Differences

Temporal Differences, with Q

Main equations

$$V(s_t) \leftarrow (1 - \alpha)V(s_t) + \alpha(r(s_t) + \gamma V(s_{t+1}))$$

$$Q(s_t, a_t) \leftarrow (1 - \alpha)Q(s_t, a_t) + \alpha(r(s_t) + \gamma Q(s_{t+1}, a_{t+1}))$$

Input: tons of $(s_t, a_t, r_t, s_{t+1}, a_{t+1})$ and the name of the algorithm is SARSA

- ▶ These 5-tuples are either gathered using the current policy on-policy
- ▶ Or, are reused from other trajectories off-policy

Algorithm

1. Initialize Q
2. Loop on episode
 - 2.1 Initialize s
 - 2.2 Repeat

Select action $a = \epsilon$ -Greedy(s, Q)

Observe s' and reward r

$$Q(s, a) \leftarrow Q(s, a) + \alpha \underbrace{(r + \gamma Q(s', a') - Q(s, a))}_R$$

$s \leftarrow s'$

- 2.3 Until s' terminal state

Discussion

Update on the spot ?

- ▶ Might be brittle
- ▶ Instead one can consider several steps

$$R = r_t + \gamma r_{t+1} + \gamma^2 V(s_{t+2})$$

Find an intermediate between


- ▶ Policy iteration

$$R_t = r_{t+1} + \gamma r_{t+2} + \gamma^2 r_{t+3} + \dots$$

- ▶ TD(0)


$$R_t = r_{t+1} + \gamma V_t(s_{t+1})$$

TD(λ), intuition



$$R_t^\lambda = \underbrace{(1-\lambda) \sum_{n=1}^{T-t-1} \lambda^{n-1} R_t^{(n)}}_{\text{weight given to 3-step return}} + \underbrace{\lambda^{T-t-1} R_t}_{\text{weight given to actual, final return}}$$

TD(λ), intuition, followed



$$\delta_t = r_{t+1} + \mathcal{W}_t(s_{t+1}) - V_t(s_t)$$

TD(λ)

1. Initialize V and π
2. Loop on episode
 - 2.1 Initialize s
 - 2.2 Repeat

$$a = \pi(s)$$

Observe s' and reward r

$$\delta \leftarrow r + V(s') - V(s)$$

$$e(s) \leftarrow e(s) + 1$$

For all s''

$$V(s'') \leftarrow V(s'') + \alpha \delta e(s'')$$

$$e(s'') \leftarrow \gamma \lambda e(s'')$$

$$s \leftarrow s'$$

- 2.3 Until s' terminal state

Q-learning

Principle: combine temporal difference and value iteration
Iterate

- ▶ During an episode (from initial state until reaching a final state)
- ▶ At some point explore and choose another action;
- ▶ If it improves, update $Q(s, a)$:

$$Q(s_t, a_t) \leftarrow \underbrace{Q(s_t, a_t)}_{\text{old value}} + \underbrace{\alpha}_{\text{learning rate}} \times \left[\underbrace{r(s_{t+1})}_{\text{reward}} + \underbrace{\gamma}_{\text{discount factor}} \underbrace{\max_{a_{t+1}} Q(s_{t+1}, a_{t+1})}_{\text{max future value}} - \underbrace{Q(s_t, a_t)}_{\text{old value}} \right]$$

The equation shows the update rule for the Q-value. The term $Q(s_t, a_t)$ is labeled as the "old value". The term α is labeled as the "learning rate". The term $r(s_{t+1})$ is labeled as the "reward". The term γ is labeled as the "discount factor". The term $\max_{a_{t+1}} Q(s_{t+1}, a_{t+1})$ is labeled as the "max future value". The term $Q(s_t, a_t)$ is also labeled as the "old value".

Equivalent to

$$Q(s_t, a_t) \leftarrow Q(s_t, a_t)(1 - \alpha) + \alpha[r(s_{t+1}) + \gamma \max_{a_{t+1}} Q(s_{t+1}, a_{t+1})]$$

Overview

Where we are

Discrete Model-Free RL

Temporal difference

Dyna

Summary


A few slides ago...

From episodes, we can estimate V

Question: Can we apply Policy improvement ?

No: we do not know $p(s, a, s')$

Aha ! we can learn it...



Dyna Algo

Algorithm

Initialize $Q(s, a)$, \hat{p} , \hat{r} for all s, a

Loop

(while budget not exhausted)

1. $s =$ current state
2. $a = \epsilon$ -greedy(s, Q)
3. Do action a , arrive in state s' with reward r
4. Update Q :

$$Q(s, a) = (1 - \alpha)Q(s, a) + \alpha (r + \max_{a'} Q(s', a'))$$

5. Update \hat{p} and \hat{r} from s' and r'
6. Repeat N times
 - 6.1 Select z previous state
 - 6.2 Select b action taken in z
 - 6.3 Estimate s', r' from \hat{p}, \hat{r}
 - 6.4 Update Q

$$Q(z, b) = (1 - \alpha)Q(z, b) + \alpha (r' + \max_{a'} Q(s', a'))$$

Discussion

1. s = current state
2. $a = \epsilon$ -greedy(s, Q)
3. Do action a , arrive in state s' with reward r
4. Update Q :

With real experience

$$Q(s, a) = (1 - \alpha)Q(s, a) + \alpha (r + \max_{a'} Q(s', a'))$$

5. Update \hat{p} and \hat{r} from s' and r'
6. Repeat N times
 - 6.1 Select z previous state
 - 6.2 Select b action taken in z
 - 6.3 Estimate s', r' from \hat{p}, \hat{r}
 - 6.4 Update Q

With real experience

$$Q(z, b) = (1 - \alpha)Q(z, b) + \alpha (r' + \max_{a'} Q(s', a'))$$

Discussion, 2

1. s = current state
2. $a = \varepsilon$ -greedy(s, Q)
3. Do action a , arrive in state s' with reward r
4. Update Q :

using real experience

$$Q(s, a) = (1 - \alpha)Q(s, a) + \alpha (r + \max_{a'} Q(s', a'))$$

5. Update \hat{p} and \hat{r} from s' and r'
6. Repeat N times

using real experience

- 6.1 Select z previous state
- 6.2 Select b action taken in z
- 6.3 Estimate s', r' from \hat{p}, \hat{r}
- 6.4 Update Q

using simulated experience

$$Q(z, b) = (1 - \alpha)Q(z, b) + \alpha (r' + \max_{a'} Q(s', a'))$$

Discussion, 3

TD-Learning

as in real life

$$Q(s, a) = (1 - \alpha)Q(s, a) + \alpha (r + \max_{a'} Q(s', a'))$$

Dynamic programming

as when dreaming

Repeat N times

1. Select z previous state
2. Select b action taken in z
3. Estimate s', r' from \hat{p}, \hat{r}
4. Update Q

$$Q(z, b) = (1 - \alpha)Q(z, b) + \alpha (r' + \max_{a'} Q(s', a'))$$

Summary

- ▶ When there is no model, you have to learn V and p, r ; or, Q
- ▶ What is difficult: your decisions/actions govern what you observe (*the confirmation bias*)
- ▶ The Exploration vs Exploitation dilemma: simplest (but not optimal), ϵ -greedy.
- ▶ You use { a mixture of what you observe and your model } to update your model

More

- ▶ Reasoning, Values, Emotions: see The Descartes' error, Antonio Damasio
- ▶ See RL and drugs:
www.shadmehrlab.org/Courses/learningtheory_files/RL2.ppt